



CERTIFICATE

No. P23226738



Applicant	Feller GmbH Wärndorferstrasse 3, A-2525 Günselsdorf, AUSTRIA		
Manufacturer	Feller GmbH Wärndorferstrasse 3, A-2525 Günselsdorf, AUSTRIA		
Factory	Feller GmbH Wärndorferstrasse 3, A-2525 Günselsdorf, AUSTRIA		
Project Number	PRJ0024948		
Product	Non-rewirable two-pole plug		
Model/Type Ref.	VII		
Ratings	16A 250V ~		
Trademark	JF		
Principal Characteristics	Non-rewirable two-pole plug with dual earthing-contacts. Standard Sheet VII. Thermoplastic, with angled cable entry, with H03VV-F 3G0,75mm². IP20		
A sample of the product was tested and found to be in conformity with	Safety	IEC 60884-1:2002, IEC 60884-1:2002/AMD1:2006, IEC 60884-1:2002/AMD2:2013 NEK 502:2016/AMD1:2022	
Validity	This certificate documents conformity with the standards shown, and also applies as license for use of Nemko's name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation. New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.		
Additional Information	Report Number: REP005616		
Additional model(s)	See page 2		

Signature

Date of issue

Name: Juan Saussey
Certification Department
31 / 01 / 2023

Working for a more sustainable future- Please do not print





CERTIFICATE

No. P23226738



Product Non-rewirable two-pole plug
Variant No. 1
Model/Type Ref. VII
Ratings 16A 250V ~
Trademark
(if different from page 1)
Principal Characteristics Non-rewirable two-pole plug with dual earthing-contacts. Standard Sheet VII. Thermoplastic, with angled cable entry, with H05VV-F 3G0,75-1,5mm². IP20

Product Non-rewirable two-pole plug
Variant No. 2
Model/Type Ref. VII
Ratings 16A 250V ~
Trademark
(if different from page 1)
Principal Characteristics Non-rewirable two-pole plug with dual earthing-contacts. Standard Sheet VII. Thermoplastic, with angled cable entry, with H05RR-F 3G0,75-1,0mm². IP20.

Product Non-rewirable two-pole plug
Variant No. 3
Model/Type Ref. VIIG
Ratings 16A 250V ~
Trademark
(if different from page 1)
Principal Characteristics Non-rewirable two-pole plug with dual earthing-contacts. Standard Sheet VII. Thermoplastic, with straight cable entry, with H03VV-F 3G0,75mm². IP20



www.nemko.com

Page 2 of 3

Signature

Date of issue

Name: Juan Saussey
Certification Department
31 / 01 / 2023

Working for a more sustainable future- Please do not print



CERTIFICATE

No. P23226738



Product	Non-rewirable two-pole plug
Variant No.	4
Model/Type Ref.	VIIG
Ratings	16A 250V ~
Trademark (if different from page 1)	
Principal Characteristics	Non-rewirable two-pole plug with dual earthing-contacts. Standard Sheet VII. Thermoplastic, with straight cable entry, with H05VV-F 3G0,75-1,5mm ² . IP20

Product	Non-rewirable two-pole plug
Variant No.	5
Model/Type Ref.	VIIG
Ratings	16A 250V ~
Trademark (if different from page 1)	
Principal Characteristics	Non-rewirable two-pole plug with dual earthing-contacts. Standard Sheet VII. Thermoplastic, with straight cable entry, with H05RR-F 3G0,75-1,0mm ² . IP20



www.nemko.com

Signature

Date of issue

Name: Juan Saussey
Certification Department
31 / 01 / 2023