



Ref. Certif. No.

**SE-115755**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

**CB TEST CERTIFICATE**

Product

Electric Pistol Nutrunner

Name and address of the applicant

Ets Georges Renault  
38 rue Bobby Sands  
44818 St Herblain  
France

Name and address of the manufacturer

Same as applicant

Name and address of the factory

Same as applicant

Note: When more than one factory, please report on page 2

Additional Information on page 2

Ratings and principal characteristics

230V, 100W, Class I

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model / Type Ref.

EPD\*-\*-\*-\*

Additional information (if necessary may also be reported on page 2)

Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 62841-1:2014  
IEC 62841-2-2:2014

As shown in the Test Report Ref. No. which forms part of this Certificate

2202019STO-001, 2202019STO-002

This CB Test Certificate is issued by the National Certification Body

Intertek Semko AB  
Torshamnsgatan 43  
Box 1103  
SE-164 22 Kista, Sweden

Date: 24 January, 2025

Signature: Quan Li

**Additional information**

Control box powered electric pistol nutrunner.

The product is designed for installing and removing threaded fasteners in wood, metal or plastic. Indoor use only.

**Type key:** EPD\*-\*-\*\*

(First asterisk) Rated maximum torque value in Nm – can be:

-7, 10, 16, 20, 27, 40, 70, 110.

(Second asterisk) Rated max. speed in Rpm – can be:

-560, 850, 1120, 1230, 1260, 1520, 1770, 2080

(Third asterisk) Output shaft type – can be:

- 4S for square drive 1/4"
- 10S for square drive 3/8"
- SQ1/2 for square drive 1/2"
- 4Q for hexa. female 1/4"
- HAD for hold and drive

(Fourth asterisk) Top cable option – can be:

- omitted for no accessory
- 1 for top cable with length 1m
- 5 for top cable with length 5m

(Fifth asterisk) Specific attachment for GFA accessory – can be:

- omitted for no accessory.
- DU for compatible with GFA type "closed crowfoot".
- DUO for compatible with GFA type "open crowfoot", secondary trigger mounted.

The tool also complies with the following standards:

EN 62841-1:2015 + AC:2015 + A11:2022

BS EN 62841-1:2015 + A11:2022

UL 62841-1:2015

CAN/CSA-C22.2 NO. 62841-1-15

EN 62841-2-2:2014 + AC:2015

BS EN 62841-2-2:2014

UL 62841-2-2:2016

CSA C22.2 No. 62841-2-2:16

Date: 24 January, 2025

Signature:

