



EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and in accordance with the current certification process. It has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/6357/162/10/25/2325

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer: Desoutter GmbH
Edmund-Seng-Str.3-5 63477, Maintal
Germany

Description


PPE Type: protective glove against mechanical risks

Product reference: 5972RC

Glove description: Flexible Fit- Padded Knuckles Work Gloves

Available sizes: 7/S, 8/M, 9/L, 10/XL, 11/XXL, 12XXXL

Pictures:



Reference standard:

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.
« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020 + A1:2024

compliant

EN 388:2016 + A1:2018

4 1 1 1 X

At the date of the certificate, the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the user instructions index 01 dated from October 2025.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by
Séverine AUBERT
Certification team Leader



Date of first issue: 17 October 2025
Date of end of validity: 16 October 2030



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594
Scope available on:
www.cofrac.fr

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

Desoutter GmbH

MANUFACTURER'S TECHNICAL FILE TO THE PPE
REGULATION 2016/425

Reference of the product	:	5972RC
Article code	:	/
Technical file index	:	01
Last update	:	October 2025

IDENTIFICATION

Reference of the product :	:	5972RC
Article code :	:	/
Basic Model		
Technical file index :	:	01
Last update :	:	October 2025

Manufacturer :

Desoutter GmbH

Edmund-Seng-Str.3-5 63477, Maintal

Germany

tel : /

fax : /

Factory :

XIAMEN PRI INDUSTRIAL CO.,LTD

NO.7-2709, BINHUYILI, HAICANG, XIAMEN, FUJIAN. 361026

China

tel: +86 592-6518533

fax: /

PRI (HUIZHOU) GLOVES MANUFACTURE CO.,LTD

Hushao Temple (Native name), Nanguang Group, Shuipi Village, Baitang Town, Boluo County, Huizhou

China

tel: /

fax: /

GLOVE DESCRIPTION

General glove description and intended use:

Flexible Fit- Padded Knuckles Work Gloves

This glove is designed against mechanical risks.

Type of coating finish : no coating

Visual description (picture back and palm sides) :



Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)

		Applicable
§1	Requirements defined in the Annex II §1 are applicable to all PPE	☒
§1.4	Manufacturer's instructions and information is available	☒
§2.5	PPE which may be caught up during use	☒
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	☒
§3.3	The PPE is intended to protect against mechanical injuries	☒

Glove constitution :

	Reference	Color	Material	Surfacic mass (g/m ²)	Gauges	Thickness
Palm		grey	polyester/ PU	350g/m2		0.7mm
	fourchette	black	polyester	250g/m2	13	
	palm padding	grey/black	PU/ polyester backing	220g/m2		5mm
	fingertips	black	polyester/ PU	350g/m2		0.7mm
Back		black	polyester/ spandex	320G/M2	13	
	back padding	grey/ black	PU/ polyester backing	220g/m2		5mm
	fingertips	grey	polyester/ PU	350g/m2		0.7mm
Cuff		BLACK	neoprene with surface polyester	300		5mm
		BLACK	Polyester/ spandex	320G/M2	13	
		grey	polyester/ PU	350g/m2		0.7mm
Binding		yellow	polyester/ spandex	180g/m2	15	
Accessories	velcro	black	nylon			
	Velcro cover	black/ yellow	TPR (thermal plastic rubber)			

PROTECTION SCOPE

This product meets the essential requirements of the Personal Protective Equipment Regulation (EU) 2016/425.

This glove is designed against mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420:2020 + A1:2024

Dexterity : 4

Available size range: 7/S, 8/M, 9/L, 10/XL, 11/XXL, 12/XXXL

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 + A1 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388:2016 + A1:2018

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	1
Puncture resistance	1
Cut Resistance method (EN ISO 13997)	X
Impact Protection	N/A

The levels of performance have been measured on the palm.

TEST REPORTS

EN ISO 21420+A1 + innocuousness	S250606823_3, S250606846_1, S250606832_1
EN 388	S250606823_3 S250707561_1 S250606846_1

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer :

Logo 

Glove's reference : 5972RC

Article Code : /

Size indicator

Pictograms related to risks against which protection is offered with performance levels


Information pictogram

Address of Manufacturer :

Date of Manufacture (month/year) and/or serial/batch number :

Date of obsolescence (month/year) if applicable:

Marking example :



Method of marking on the glove :

CARE LABEL SEW ON GLOVES

Packaging suitable for transport:

1 pairs with one hungtag, 12 pairs/bag, 72 pairs/carton

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Cleaning instructions:

This glove is not washable.

MEANS OF CONTROL

- 1) ISO 9001 Certified
- 2) All inspection processes including sewing, moulding and all incoming raw materials are based on random acceptance sampling.
- 3) Goods Inwards Q.C. inspect and check all raw materials before releasing to Production Dept.
- 4) Production/Q.C. Dept. perform on-line checking on sewing machine floor for based on EN21420 sizing standard.
- 5) Q.C. Dept. perform size and label checks before forwarding to Moulding Dept.
- 6) Moulding/Q.C. Dept. will undertake final inspection tests for size, weight chemical testing and cutting/abrasion according to EN388 Standard and send to CTC for test EN388,EN ISO 21420 each year .
- 7) Packaging checks are performed by Q.C. before shipment.
- 8) All reject materials are inspected and either disposed of responsibly or re-worked responsibly within the production process.

ISO9001 Certificates Of Registration



Certificate NO.: 49222Q0335R0S

This is to Certify That

PRI (HUIZHOU) GLOVES MANUFACTURE CO.,LTD

Unified Social Credit Code: 91441322MA4W7TLP92

Registered Address: Hushao Temple (Native name), Nanguang Group,
Shuipi Village, Baitang Town, Boluo County

Office Address: Hushao Temple (Native name), Nanguang Group,
Shuipi Village, Baitang Town, Boluo County

Business Address: Hushao Temple (Native name), Nanguang Group,
Shuipi Village, Baitang Town, Boluo County

Has been found to conform of Quality Management System Standard

GB/T 19001-2016/ISO 9001:2015

The QMS certificate covers the following areas



Production of protective gloves outside the licensed scope

Initial Issued Date: Sept,20,2022

Date of Issuance: Sept,20,2022

Date of Renewal: Sept,20,2022

Date of Expiry: Sept,19,2025



IAFI International Certification (Beijing) Co., Ltd.

Signature: _____

Jin Xiaohong

The organization granted the certificate should be at least once a year supervised and examined within the period of validity of the certificate, and should use the certificate and the supervision maintenance notice at the same time 12 months after obtaining the certificate

The certificate information can be inquired on the website of certification and accreditation Administration of the People's republic of china www.cnca.gov.cn and the website of our company

IAFI International Certification (Beijing) Co., Ltd.

Address : Room 1-201-1, building 11, yard no. 20, kechuang 14th street, Beijing

INSTRUCTIONS FOR USE

Desoutter GmbH

Edmund-Seng-Str.3-5 63477, Maintal

Germany

Glove reference : 5972RC

Article code: /

User notice index : 01

Last update : October 2025

Glove description :


Flexible Fit- Padded Knuckles Work Gloves

This glove is a personal protective equipment belonging to the category II.

It meets the requirements of the PPE Regulation 2016/425 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE



The glove meets the requirements of the standard EN ISO 21420:2020 + A1:2024 « Protective Gloves - General requirements and test methods ».

Dexterity: 4

Available size range: 7/S, 8/M, 9/L, 10/XL, 11/XXL, 12/XXXL

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420+A1 Annex B.

Information about marking

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

CE The CE marking means that this product meets the requirements of the regulation 2016/425

Mechanical hazard - EN 388:2016 + A1:2018



4 1 1 1 X

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	1	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	X	(A to F)
Impact Protection		



Read carefully the instructions for use provided with the product

Protection limit:

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut, tear...).

Mechanical protection:

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks are only valid for the palm of the glove.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

This glove is not washable.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Declaration of conformity :

Available with product.